

Certificate of Registration

Certificate Number 957

Placed on the Market under the Name of

**Datim Limited
Foxwood Industrial Park
Foxwood Road
Chesterfield
Derbyshire
S41 9RN
UNITED KINGDOM**

**and produced in the manufacturing plant
Datim Limited, Foxwood Industrial Park, Foxwood Road, Chesterfield, Derbyshire, S41 9RN,
United Kingdom**

This certificate attests that all provisions have been met concerning the BM TRADA requirements of the scheme:

Q-Mark Timber Fire Door Manufacture

Date of Initial Certification: **08/04/2016**

Date of Last Issue: **30/05/2025**

Date of Expiry: **06/04/2028**



Jon Lessimore (Divisional Director)
For and on behalf of Element

Scope of Certification

Primary Field of Application (FoA) Reports (owned by this certified company)

Either used in isolation, or can be used in conjunction with an appropriate associated document for this company, providing that the FoA report allows it and that both documents are compatible with each other. Where more than one primary FoA is listed for the same doorset type, they cannot be mix and matched, only one FoA is to be chosen and followed precisely

Type	FoA Report	Rev	Owned by Certified Company named on this scope	Doorset Description	Integrity Period	FoA Standard
Fire	-	-	-	-	-	-
Smoke	-	-	-	-	-	-

Primary Field of Application (FoA) Reports (owned by and cascaded by a System Supplier)

The revision status of each FoA can be verified on the BM TRADA website under each System Supplier's certification entry. They are either used in isolation, or can be used in conjunction with an appropriate associated document for this company, providing that the FoA report allows it and that both documents are compatible with each other. Where more than one primary FoA is listed for the same doorset type, they cannot be mix and matched, only one FoA is to be chosen and followed precisely.

Type	FoA Report	System Supplier owner of Assessment Report	Doorset Description	Integrity Period	FoA Standard
Fire	FEA/F98164	Pacific Rim Wood Ltd	The Flamebreak Range of Doorsets Using Timber Based Door Blanks in Timber Based Door Frames for 30 minutes Fire Resistance (Glazed or unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	FEA/F02141	Pacific Rim Wood Ltd	Flamebreak 660 Ply Faced and FF660 MDF Faced Doorset Ranges in Timber Based Door Frames for 60 minutes Fire Resistance (Glazed or unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	Chilt/A01204	Halspan Limited	Optima 30 Part 1 Timber (glazed or unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	Chilt/A01205	Halspan Limited	Optima 60 (glazed or unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	FEA/F97174	Halspan Limited	Prima 30 Part 1 Timber (glazed or unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	FEA/F96103	Halspan Limited	Prima 60 (glazed or unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	Chilt/A12061	Halspan Limited	Halspan 30 Part 1 Timber (glazed or unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	Chilt/A12064	Halspan Limited	Halspan 60 (glazed or unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	Chilt/A02066	Falcon Timber Limited	STREbord® 44 door assemblies for 30 Minutes Fire Resistance (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	Chilt/A02067	Falcon Timber Limited	STREbord® 54 doorsets for 60 Minutes Fire Resistance (Glazed or Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	Chilt/A10152	Falcon Timber Limited	STREbord® 54 Panelled Range of Doorsets using STREbord® 54 Panelled Door Blanks in Timber Based Door Frames 60 Minutes Fire Resistance (Unglazed only)	60min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	BMT/CNA/F15159	Falcon Timber Limited	STREdor® 44 doorsets for 30 Minutes Fire Resistance (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	WF377027	Falcon Timber Limited	STREdor® 54 Doorsets for 30 Minutes Fire Resistance (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	WF377027	Falcon Timber Limited	STREdor® 54 Doorsets for 60 Minutes Fire Resistance (Glazed or Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			N/A

Fire	Chilt/A13058	Moralt AG	LAMINESSE FireSmoke Only 44/54mm (Glazed and Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	Chilt/A13059	Moralt AG	LAMINESSE FireSmoke 54mm Only (Glazed and Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	BMT/CNA/F1427 4	Moralt AG	LAMINESSE FireSound 44mm (Glazed and Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	WF409922	Moralt AG	LAMINESSE FireSound 54mm (Glazed and Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	WF409922	Moralt AG	LAMINESSE FireSound 54mm (Glazed and Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	WF409922	Moralt AG	LAMINESSE FireSound 59mm (Glazed and Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	WF409922	Moralt AG	LAMINESSE FireSound 59mm (Glazed and Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	WF409922	Moralt AG	LAMINESSE FireSoundPlus 54 (Glazed and Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	WF409922	Moralt AG	LAMINESSE FireSoundPlus 54 (Glazed and Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	FEA/F99112	Vicaima Ltd	Vicaima 30-minute Timber Based Doorsets (Glazed and Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	WF399982	Deanta UK Ltd	Deanta Panelled Stile and Rail Veneered Doorset Type 1 (Glazed or unglazed)	30min	EN 1634-1
Smoke	N/A	-			N/A
Fire	WF399982	Deanta UK Ltd	Deanta Panelled Stile and Rail Veneered Doorset Type 2 (Glazed or unglazed)	30min	EN 1634-1
Smoke	N/A	-			N/A
Fire	WF399992	Deanta UK Ltd	Deanta Flush Veneered Doorset Type 5 (Glazed or unglazed)	30min	EN 1634-1
Smoke	N/A	-			N/A
Fire	WF417523	Falcon Timber Limited	STREbord® 44+ doorsets for 60 Minutes Fire Resistance (Unglazed only)	60min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	BMT/CNA/F1405 3	Falcon Timber Limited	STREbord® 44 EI30, 30 Minutes (Integrity and insulation) Fire Resisting Doorsets (EXAP) (Glazed or Unglazed)	30min	EN 1634-1
Smoke	N/A	-			N/A
Fire	BMT/CNA/F1405 4	Falcon Timber Limited	STREbord® 54, 60 Minutes Fire Resisting Doorsets (EXAP) (Glazed or Unglazed)	60min	EN 1634-1
Smoke	N/A	-			- N/A
Fire	WF538235	Wood International Agency Ltd	The Therman™ Range of Doorsets in Timber Based Door Frames for 30 minutes fire resistance (With or without glazing)	30Min	BS 476 Pt22
Smoke	N/A	-			-
Fire	WF546313	Wood International Agency Ltd	The Wood International Agency Ltd Range of doorsets using Marksman™ 44 doorblanks in timber based door frames for 30 minutes fire resistance (With or without glazing)	30Min	BS 476 Pt22
Smoke	N/A	-			-

Falcon Timber Limited Front Entrance Door Range

Fire	WF407090	Falcon Timber Limited	STREbord® 44 doorsets for 30 Minutes Fire Resistance (Front Entrance Doorsets) (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	WF407090	Falcon Timber Limited	STREbord® 54 doorsets for 30 Minutes Fire Resistance (Front Entrance Doorsets) (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	WF407090	Falcon Timber Limited	STREdor® 44 doorsets for 30 Minutes Fire	30min	BS 476 Pt22

Smoke	N/A	-	Resistance (Front Entrance Doorsets) (Glazed or Unglazed)		N/A
Fire	WF407090	Falcon Timber Limited	STREdor® 54 doorsets for 30 Minutes Fire Resistance (Front Entrance Doorsets) (Glazed or Unglazed)	30min	BS 476 P22
Smoke	N/A	-			N/A
Fire	WF427764	Falcon Timber Limited	STREbor® 54 Fire Resisting Doorsets for 60 minutes fire resistance (Front Entrance Doorsets) (Glazed or Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	WF427764	Falcon Timber Limited	STREdor® 54 Fire Resisting Doorsets for 60 minutes fire resistance (Front Entrance Doorsets) (Glazed or Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-		-	N/A
Fire	WF505014 Iss 2 AR1	Vicaima Ltd	Vicaima VICPAN 60 Doorsets (Glazed and Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			N/A
Fire	Chilt/A12005	Safehinge primera	Safehinge Alumax combined with timber frames 30 and 60 minutes fire resistance performance.	30min 60min	BS 476 Pt22
Smoke	N/A	-		-	N/A

Winkhaus Timber Frame Doorset

Fire	BMT/CNA/F1508 4	Winkhaus UK Ltd	Winkhaus Timber Frame with Halspan Blank (Glazed or unglazed) (Unglazed only)	30min	EN 1634-1
Smoke	N/A	-			N/A
Fire	BMT/CNA/F1508 4	Winkhaus UK Ltd	Winkhaus Timber Frame with Halspan Blank (Unglazed only)	60min	EN 1634-1
Smoke	N/A	-			N/A

Test Reports

Test reports cannot be used in conjunction with any primary FoA reports, other test reports or associated documents. They must be followed precisely without any deviation whatsoever.

No specification or parameter changes are allowed at all from that stated within the test report such as size, shape, design, glazing, leaf/frame specification, hardware etc.

Type	Test Report	Owner of Test Report	Doorset Description	Integrity Period	Test Standard
Fire only	WF 420338	Datim supplies	FD30 Strebor® 44+ Salto Lockset (Unglazed)	30min	EN 1634-1
Fire only	WF 505542 AR1	Datim Ltd	Strebor® 54 single acting leaf outward opening doorset with flush side panel (Unglazed)	60min	EN 1634-1
Fire only	WF 505552 AR1	Datim Ltd	Strebor® 54 single acting leaf inward opening doorset with flush side panel (Unglazed)	30 min	EN 1634-1
Fire only	20211008-002417	Datim Ltd	Strebor® 54 4 panel Knightsbridge single acting single leaf doorset (Unglazed)	30 min	BS476 pt22
Fire only	20220111-005916	Datim Ltd	Strebor® 44 4 panel Knightsbridge single acting single leaf inward opening doorset (glazed)	30 min	BS476 pt22
Fire only	WF 518349	Datim Ltd	Strebor® 44 4 panel Knightsbridge single acting outward opening doorset (Glazed)	30 min	BS476 pt22
Fire only	WF 520849	Datim Ltd	Accessio FD60 54mm flush door C/W AV2 multipoint lock (Unglazed)	60 min	BS476 pt22

Fire only	20230720-002911	Datim Ltd	Timber single acting single leaf doorsets	30 min	BS476 pt22
Fire only	TR20230412 - 002216A	Datim Ltd	Accessio FD60 54mm Flush Security Door c/w NSP SMF DUO Lockset (Unglazed).	60 min	BS476 pt22
Fire only	WF526852	Datim Ltd	Accessio FD30 44mm Flush Security Door c/w Thunderbolt Multipoint Lock (Unglazed).	30 min	BS476 pt22
Fire only	WF527138	Datim Ltd	Accessio FD30 44mm Flush Security Door c/w NSP SMF614 & 5mm Door Gaps.	30 min	BS476 pt22
Fire only	WF531440	Datim Ltd	Accessio FD60 54mm Flush Security Door c/w Electric Strike (Glazed).	60 min	BS476 pt22
Fire and security					
Fire only	20230720-002911 Revision B	Datim Ltd	ACCESSIO - Vicaima (HDC) 926x2040x44mm with NSP EPIC Handle Set. Doorset– (Unglazed)	30 Min	BS476 pt22